



# Blohm & Voss BV222 „Wiking“

04383-0389

©2014 BY REVELL GmbH. A subsidiary of Hobbico, Inc.

PRINTED IN GERMANY



## Blohm & Voss BV222 „Wiking“

Die BV 222 der Blohm & Voss Flugzeugbau GmbH in Hamburg entstand 1937 nach einer Ausschreibung der Deutschen Lufthansa für einen komfortablen und sicheren Nonstop-Flugverkehr mit 16 bis 24 Passagieren zwischen Deutschland und Nordamerika. Angesichts der damaligen an Zuverlässigkeit und Leistungskraft recht schwachen Triebwerke war das eine große Herausforderung für die Ingenieure unter Chefkonstrukteur Richard Vogt. Der Jungfernflug der V1 mit der Zivil-Kennung D-ANTE am 7. September 1940 in Hamburg Finkenwerder verlief erfolgreich. Bedingt durch die Kriegsergebnisse erhielt die Maschine für die Erprobung eine große Frachttröhre und den Anstrich der Luftwaffe, um Transportflüge nach Sizilien und Norwegen durchzuführen. Dabei konnte eine Seetüchtigkeit bis Seegang 2 festgestellt werden. Ab Ende 1941 folgten insgesamt 17 Versorgungsflüge für das Afrika-Korps zwischen Athen und Derna/Libyen. Anfang 1942 erhielt die Maschine eine Abwehrbewaffnung und wurde der Luft-Transport-Staffel 222-See zugeteilt. Anfang 1943 sank das Flugboot nach einem Landeanfall im Hafen von Athen. Von den ab Mitte 1942 schrittweise bei der LTS 222 in Dienst gestellten V2 bis V6 und der V8 gingen bis Dezember 1945 und V8 durch Abschuss verloren. Für die Luftwaffe ein unverzichtbarer Ferntransporter, drängte die Kriegsmarine schließlich erfolgreich auf den Einsatz der BV 222 als Ferraufklärer für die U-Boot-Waffe. Bis Juni 1943 wurden die V3, V4 und V5 zum Aufklärungs-Flugboot umgerüstet. Das Seeziel-Radar FuG 200 Hohentwiel mit seinen charakteristischen Antennen am Bug der BV 222 konnte Schiffe auf 150 km Entfernung erfassen. Die ersten Flüge führte V4 anfänglich vom finnischen Petsamo, später mit V3 und V5 von Biscarrosse in Westfrankreich durch. V3 und V5 wurden dort durch einen Luftangriff bereits am 20. Juni zerstört. Die sechs Bramo 323 der BV 222 benötigten ein Wartungsintervall von nur 25 Betriebsstunden. Deshalb rüstete man die V7 mit Jumo-207-Dieselflugmotoren aus, deren Intervall 50 Stunden betrug. Beginnend mit der V9 wurden die letzten vier Maschinen mit dem Jumo 207 C und einem seitlich aufklappbaren Bugladertor als BV 222 C bis Mai 1944 ausgeliefert. Die 1/SAGr129 in Biscarrosse eröffnete Ende September 1943 mit V2, V4 und V9 den regelmäßigen Flugdienst zur Aufklärung feindlicher Geleitzüge und der Heranführung deutscher U-Boote im Atlantik. Dazu kamen später V7, C-011 und die C-010, welche am 8. Februar 1944 bei Biscarrosse abgeschossen wurde. Der letzte Aufklärungsflug einer BV 222 fand am 27. Mai statt. Im Juni 1944 verlegte man alle BV 222 nach Norwegen, wo sie dem StabSAGr130 zugeteilt wurden. Im Mai 1945 erbeuteten britische Truppen die V2 und C-012 im Hafen von Sörreisa, sowie C-011 und C-013 in Tromsö in Nord-Norwegen. Die V2 übergab man der US Naval Test-Division, welche die Maschine in Trondheim untersucht, geflogen und später dort versenkt hat.

### Technische Daten:

Länge:	36,50 m
Spannweite:	46 m
Flügelfläche:	255 qm
Höhe Rumpf:	5,67 m (Gesamthöhe: 10,92 m)
Breite Rumpf:	3,08 m
Triebwerk:	6 x 9-Zyl.-Sternmotoren Bramo 323 R-2; 26,8 l Hubraum
Startleistung:	6 x 882 kW (1200 PS) mit Methanol-Wasser-Einspritzung
Dauerleistung:	6 x 485 kW (660 PS)
Leergewicht:	28.550 kg
Startgewicht max.:	45.600 kg / 53.000 kg mit Starthilfsraketen
Nutzlast:	4.000 – 10.500 kg oder 92 Soldaten oder 72 Krankenträger
Treibstoff:	max. 17.280 l mit Starthilfsraketen
Höchstgeschwindigkeit:	390 km/h in 5 km Höhe
Reisegeschwindigkeit:	285 km/h in 3 km Höhe
Dienstgipfelhöhe:	6.500 m
Flugdauer max.:	28 h bei 245 km/h
Reichweite:	normal 4.900 km / maximal 6.500 km
Start- / Landestrecke:	3.500 m / 1.000 m
Bewaffnung:	3 x MG 151/20 und 4 x MG 131

## Blohm & Voss BV222 „Wiking“

The BV 222 from the Blohm & Voss Aircraft Company Ltd of Hamburg originated in 1937 following an invite to tender from the German Lufthansa for a comfortable and secure non-stop air service capable of conveying 16 to 24 passengers between Germany and North America. Considering the poor performance and reliability of engines of that period, this was a big challenge for the B&V engineers under chief designer Richard Vogt. Carrying the civil registration D-ANTE, the V1 prototype made its successful maiden flight from Hamburg Finkenwerder on 7th September 1940. Due to the requirements of war, the aircraft was fitted with a large cargo floor and door. It was painted in Luftwaffe colours and used on transport flights to Sicily and Norway where seaworthiness up to Beaufort Force 2 was ascertained. From the end of 1941 a total of 17 supply flights for the Africa Corps were undertaken between Athens and Derna in Libya. Early in 1942 the aircraft received a defensive armament and was allocated to 222 Maritime Air Transport Squadron (MATS). The flying boat sank after a crash landing at the Port of Athens in early 1943. Of the following V2 to V6 and V8 prototypes which gradually entered service with MATS 222 in mid-1942, V6 and V8 had been shot down by the December of that year. Although it was for the Luftwaffe, an indispensable long distance transporter, the German Navy finally and successfully gained control of the BV 222 for use as a long range reconnaissance aircraft and for anti-submarine warfare. By June 1943, V3, V4 and V5 had been converted into Reconnaissance Flying-boats. The FuG 200 Hohentwiel anti-ship radar with its characteristic antennas in the nose of the BV 222 was able to detect surface ships at a range of 150 km (93 miles). The first flights were undertaken by V4 from Petsamo in Finland, later by V3 and V5 from Biscarrosse in Western France. V3 and V5 were destroyed there on 20 June during an air raid. The BV 222's six Bramo 323 engines required maintenance at intervals of only 25 hours. The V7 therefore was fitted with Jumo 207 diesel aircraft engines with a service interval of 50 hours. Starting with the V9, the last four aircraft fitted with Jumo 207C engines and a laterally hinged nose loading door were delivered by May 1944 and designated BV 222C. Late in the September of 1943, the 1/SAGr129 (Maritime Reconnaissance Group 129) in Biscarrosse started regular flights with V2, V4 and V9 to reconnoitre enemy convoys in the Atlantic and guide German U-boats to their position. Later the V7, C-011 and C-010 which was shot down at Biscarrosse on 8 February 1944, were also deployed. The last reconnaissance flight undertaken by a BV 222 took place on 27 May 1944. In June 1944, all BV 222's were moved to Norway where they were assigned to StabSAGr130 (Staff/Maritime Reconnaissance Group 130). In May 1945 British forces captured the V2 and C-012 in the port of Sörreisa and C-011 and C-013 in Tromsø in northern Norway. V2 was handed over to the U.S. Naval Test Division which flew and examined the aircraft in Trondheim and later sunk it there.

### Technical Data:

Length:	36.50 m (119 ft 9 ins)
Wingspan:	46 m (150 ft 10 ins)
Wing area:	255 qm (2744 sq. ft)
Height over fuselage:	5,67 m (18 ft 7 ins) Height overall: 10,92 m (35 ft 10ins)
Width over fuselage:	3,08 m (10 ft 1 ins)
Engines:	6 x 9-Cyl. Bramo 323 R-2 Radial engines; 26.8 l Cubic Capacity
Iake-off power rating:	6 x 882 kW (1200 Bhp) with methanol-water-injection
Continuous power rating:	6 x 485 kW (660 Bhp)
Weight empty:	28550 kg (62952 lbs)
Maximum take-off weight:	45600 kg (100550 lbs) / 53000 kg (116865 lbs) with rocket assisted take-off 4000 (8820 lbs) – 10500 kg (23150 lbs) or 92 Troops or 72 Stretchers
Payload:	max. 17280 l (3800 gals) with rocket assisted take-off
Fuel:	4000 (8820 lbs) – 10500 kg (23150 lbs) or 92 Troops or 72 Stretchers
Maximum speed:	390 km/h (242 mph) at 5000 m (15000 ft) Altitude
Cruising speed:	285 km/h (177 mph) at 3000 m (9000 ft) Altitude
Service ceiling:	6500 m (21300 ft)
Endurance:	28 h at 245 km/h (152 mph)
Range:	normal 4.900 km (3042 miles) / maximum 6.500 km (4036 miles)
Take-off / landing run:	3500 m (11480 ft) / 1000 m (3280 ft)
Armament:	3 x 151/20 MGs and 4 x 131 MGs

Form hergestellt und im Eigentum von Revell GmbH. Widerrechtliche Nachahmungen werden gerichtlich verfolgt.

Ce produit est propriété de la société Revell GmbH. Toute utilisation ou duplication frauduleuse sera l'objet de poursuites en justice.

Modelado y propiedad de Revell GmbH. Imitaciones ilícitas serán perseguidas por la ley.

Forma prodotta dalla Revell GmbH e di proprietà della stessa impresa, la quale procederà legalmente contro ogni imitazione abusiva.

Modeli tillverkade av och tillhör Revell GmbH. All kopiering bevisas enligt lag om upphovsrätt.

Fornen er produsert og eies av Revell GmbH. Etterlyringen etter tilateksel vil bli gjennstand for rettslig forfølgelse.

Produkcja i prawa własności firmy Revell GmbH. Niewłaściwe podbiórki jest zabronione legalnie.

Model, Revell GmbH firmasının mülkiyeti altında imal edilmişdir. Kanuna aykırı taklitler mahkemeye takip edilecektir.

A forma é elaborada e é titular da Revell GmbH. A jogelénes utánzatokat és hamisítványokat bíróságilag ildőzik.

Mould manufactured by and property of Revell GmbH. Illegal imitations are subject to prosecution.

Vorm vervaardigd door en eigendom van Revell GmbH. Onrechtmatige nabootsing worden gerechtelijk vervolgd.

Formas produzidas é de propriedade da Revell GmbH. Cópias não autorizadas serão processadas juridicamente como determinado na lei.

Modellen tillverkad av och tillhör Revell GmbH. All kopiering bevisas enligt lag om upphovsrätt.

Formen er fremstillet av Revell GmbH som også har eiersdom over. Lovstigende etterlyringen sagesges.

Модель изготовлена в имуществе фирмы Revell GmbH. Противозаконные подделки преследуются в судебном порядке.

Н морфја катахоксјадите и прекрѣде отп ђиоктоја тјд Revell GmbH. На пораночијес мјифоец да катојакојтак ђиакстикак.

Tvr je vytvorená firmou Revell GmbH a je jejím vlastníctvom. Profi nezákoným napodobeninám se bude postupovat soudní cestou.

Forma je proizvedene in je vlastničtvom Revell GmbH. Neovlačene kopije bodo pravno kažnjene.

















# Benötigte Farben / Used Colors






Benötigte Farben Required colours	Peintures nécessaires Benodigde kleuren	Pinturas necesarias Tintas necessárias	Colori necessari Användta färger	Tarvittavat värit Du trenger følgende farger	Nödvändige färger Необходимые краски	Potrebne kolory Απαραίτουμενα χρώματα	Gerekli renkler Ποτέρεινες βαρβύ	Szükséges színek. Potrebe barve
<b>AK</b> anthrazit, matt 9 anthracite grey, matt anthracite, mat antraciet, mat antracita, mate antracite, fosco antracite, opaco antracit, matt antracit, himmēa koksgå, mat antrasit, matt антрацит, матовый antracyt, matowy сірій-блакитний, матовий antracyt, матовий ανθρακίτιση, ματ antrasit, mat antracit, matná antracit, matt tarno siva, mat	<b>BK</b> helloliv, matt 45 light olive, matt olive clair, mat olijf-licht, mat aceituna, mate oliva claro, fosco oliva chiaro, opaco ljusoliv, matt vaalean olivi, himmēa lysoliv, mat lys oliveen, matt серват-оливковый, матовый jasnozielik, matowy анюкото хаки, мат аçık zeytin, mat svetloolivový, matná világos olív, matt svetlo oliva, mat	<b>CK</b> staubgrau, matt 77 dust gray, matt gris poussiére, mat stofgris, mat ceniciente, mate aceituna de pô, fosco oliva clara, opaco ljusoliv, matt polynharmaa, himmēa stovgrå, mat stovgrå, matt	<b>DK</b> beige, seidenmatt 314 beige, silky-matt beige, satiné mat beige, zijdemat beige, mate seda bege, fosco sedoso beige, opaco seta beige, sidematt beige, silinkimmeä beige, silkemat beige, silkematt	<b>EK</b> schwarz, seidenmatt 302 black, silky-matt noir, satiné mat zwart, zijdemat negro, mate seda preto, fosco sedoso nero, opaco seta svart, sidematt musta, silinkimmeä sort, silkemat sort, silkematt	<b>FK</b> rost, matt 83 rust, matt rouille, mat roest, mat ørin, mate ferrugem, fosco aluminio, metálico aluminio, metálico musta, himmēa rust, mat rust, matt	<b>GK</b> aluminium, metallic 99 aluminum, metallic aluminio, metálico aluminio, metálico aluminio, metálico aluminio, metálico aluminio, metálico aluminio, metálico aluminio, metálico aluminijum, metallik aluminijum, metallik aluminijum, metallik aluminijum, metallik алюминий, металлик Jasnoscary, matowy окончание, металлик агнракт, матовый відмінно, металік hliníková, metaliza aluminum, metall Svetlosiva, brez leska	<b>HK</b> hellgrau, matt 76 Light grey, matt Gris clair, mat Lichtgris, mat Gris claro, mate Cinza-claro, mate Grijs chiaro, opaco Ljusgrå, matt Vaaleanharmaa, matta Lysgrå, matt Lysegå, matt	Szükséges színek. Potrebe barve
<b>IK</b> khakibraun, matt 86 olive brown, matt brun khaki, mat khakibrun, mat caqui, mate castanho caqui, fosco marrone cachi, opaco kaki-brun, matt khakis, himmēa khakibrun, mat khakibrun, matt коричневый "хаки", матовый brązowy khaki, matowy коре-хаки, мат hāki renkli, mat hnědá khaki, matná kekibarna, matt kaki rjava, mat	<b>JK</b> lederbraun, matt 84 leather brown, matt brun cur, mat lederbrun, mat marrón cuero, mate castanho curvo, fosco marrone cuojo, opaco läderbrun, matt nahkkinuska, himmēa läderbrun, mat lärburn, matt коричневая кожа, матовый brązowy jak skóra, matowy кофє бургундія, мат den kahverengi, mat kožené hnědá, matná bőrbarna, matt koža rjava, mat	<b>KK</b> <b>95 %</b> weiß, matt 5 white, matt blanc, mat wit, mat blanco, mate <br;branco, fosco<br="">bianco, opaco vit, matt valkoinen, himmēa hvid, mat hvít, matt білий, матовий biely, matowy леко, мат beyaz, mat bilá, matná fehér, matt belá, mat</br;branco,>	<b>KK</b> <b>5 %</b> + Hellgrau, matt 76 Light grey, matt Gris clair, mat Lichtgris, mat Gris claro, mate Cinza-claro, mate Grijs chiaro, opaco Ljusgrå, matt Vaaleanharmaa, matta Lysgrå, matt Светло-серый, матовый Jasnoscary, matowy Тікіріншілік, мат Şirki анонто, мат 	<b>LK</b> <b>60 %</b> eisen, metallic 91 steel, metallic coloris fer, métallique izerkleurig, metallic feroso, metalizado ferro, metálico ferro, metallico jämfärg, metallic 	<b>LK</b> <b>40 %</b> + anthrazit, matt 9 anthracite grey, matt anthracite, mat antraciet, mat antracita, mate antracite, fosco antracite, opaco antracit, matt antrasitti, himmēa koksgå, mat antrasit, matt антрацит, матовый antracyt, matowy сірій-блакитний, матовий antracyt, матовий 	<b>MK</b> <b>80 %</b> Schwarzgrün, matt 40 Black green, matt Vert noir, mat Zwargreen, mat Negro verdoso, mate Verde-preto, mate Nero verde, opaco Svartgrön, matt Mustanvhrea, matta Sortgrøn, matt Sortgrøn, matt Черно-зеленый, матовый Czarnozielony, matowy 	<b>MK</b> <b>20 %</b> gelb, matt 15 yellow, matt jaune, mat vert noir, mat Zwartgroen, mat Negro verdoso, mate Verde-preto, mate Nero verde, opaco Svartgrön, matt Mustanvhrea, matta Sortgrøn, matt Sortgrøn, matt желтый, матовый жіль, матовий 	
<b>NK</b> <b>95 %</b> Schwarzgrün, matt 40 Black green, matt Vert noir, mat Zwargreen, mat Negro verdoso, mate Verde-preto, mate Nero verde, opaco Svartgrön, matt Mustanvhrea, matta Sortgrøn, matt Sortgrøn, matt Черно-зеленый, матовый Czarnozielony, matowy 	<b>NK</b> <b>5 %</b> + anthrazit, matt 9 anthracite grey, matt anthracite, mat antraciet, mat antracita, mate antracite, fosco antracite, opaco antracit, matt antrasitti, himmēa koksgå, mat antrasit, matt антрацит, матовый antracyt, matowy сірій-блакитний, матовий antracyt, матовий 	<b>OK</b> Hellblau, matt 49 Light blue, matt Bleu clair, mat Lichtblauw, mat Azul claro, mate Azul-claro, mate Blu chiaro, opaco Ljusblå, matt Vaaleansininen, matta Lysblå, mat Lysblå, matt Светло-синий, матовый 	<b>PK</b> <b>91 %</b> eisen, metallic 91 steel, metallic coloris fer, métallique izerkleurig, metallic feroso, metalizado ferro, metálico ferro, metallico jämfärg, metallic teräksenväriinen, metallikulta jern, metallak jern, metallic стальной, металлик żelazo, metaliczny σιδήρου, μεταλλικό <sup>π</sup> demir, metalik železná, metaliza 	<b>QK</b> <b>91 %</b> Schwarzgrün, matt 40 Black green, matt Vert noir, mat Zwargreen, mat Negro verdoso, mate Verde-preto, mate Nero verde, opaco Svartgrön, matt Mustanvhrea, matta Sortgrøn, matt Sortgrøn, matt Черно-зеленый, матовый Czarnozielony, matowy 	<b>NK</b> <b>91 %</b> + anthrazit, matt 9 anthracite grey, matt anthracite, mat antraciet, mat antracita, mate antracite, fosco antracite, opaco antracit, matt antrasitti, himmēa koksgå, mat antrasit, matt антрацит, матовый antracyt, matowy сірій-блакитний, матовий antracyt, матовий 			
<b>OL</b> Loch bohren Make a hole Faire un trou Maak een gat Practicar un taladro Perfurar Fare un foro Borra hål Poraa reikä Der bores et hull Bor hull Просверлить отверстие wywiercieć otwór анонто тръпка Delik açın Vyratil diru lyukat fúrní Narediti lukino	<b>OR</b> Entfernen Remove Détacher Verwijderen Sacrar Retirar Eliminar Tag loss Poista Fjernes Fjern Удалить Usuñaç анонто Temizleyin Odstranit eltávolítani Ostraniti	<b>OP</b> Bemalen Paint Peindre Beschilderen Pintar Dipingere Pintar Mála Male Male Maala Pomalowaæ Befesteni раскрасить Pomalovat Boyamak Poslikati Хроматици	<b>OT</b> Schwarzen Faden benutzen Use black thread Employer le fil noir Gebruik zwarte draad Utilizar hilo color negro Utilizar fio preto Usare filo nero Använd svarta trådar Käytää mustaa lankaa Benyti en sort Bruk svart Использовать черные нитки Užyz čarnej nici Χρησιμοποιεῖσθαι την καφέ μαρύου Kahverengi siyah iplik kullanın Použít černé vláknko barna fekete fonalt kel használni Uporabljati črni nit	<b>NT</b> Nicht enthalten Not included Non fourni Behoort niet tot de levering No includo Non compresi Não incluido Ikke medsendt Ingår ej Ikke inkluderet Eivát sisälly Δεν ονται περιλαμβάνεται Не содежитъ се Nem tartalmazza Nie zawiera Ni vsebovan İçerisinde bulunmamaktadır Není obsaženo				
















Nicht enthalten  
Not included  
Non fourni  
Behoort niet tot de levering  
No includo  
Non compresi  
Não incluido  
Ikke medsendt  
Ingår ej  
Ikke inkluderet  
Eivát sisälly  
Δεν ονται περιλαμβάνεται  
Не содежитъ се  
Nem tartalmazza  
Nie zawiera  
Ni vsebovan  
İçerisinde bulunmamaktadır  
Není obsaženo





















**6****7****8****9****10**







**11****12****13****14****15****16**

**17****17****18****21****19****20****22****23**


**24****25****26****27****28**




**36****38****39****40****41****43****42**



**50** **3X**






**51** **3X**




**52**














**6X**










**53**



**54****6X****55****56**


**57****58****59****60****61****62****63****64**

**65****66****67****68****67****69****70****71**

72



## BV 222, V1, "S1", LTS 222-See, Mediterranean Sea, 1942-43



73

## BV 222, V2, "X4+BH", SAGr.130, Norway, 1944-45

