LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

N/A = Not Applicable

1. Name of cell / balter	J	
	Polymer Li- Ion Battery BD 602025	

2. Manufacturer of cell / battery				
Name	Dongguan Juhe Energy Co. Ltd.			
Address	3A HanTong Industrial Park, Luoma Road, LuoMa Village, Qingxi Town, Dongguan City, China			
Phone				
Email				
Website				

3. Test labor	ratory of cell / battery
Name	Dongguan Anci Electronic Technology Co. Ltd.
Address	1-2 Floor, Building A, No. 11, Headquarters 2 Road, Songshan Lake Hi-tech Industrial, Development Zone, Dongguan City, Guangdong, Pr. China
Phone	+86 0769-85075888-55555
Email	ada@anci.com
Website	www.anci.com.cn

4. ID-number and date					
Unique test report identification number	SA1912037U 03001	Date of test report	23.12.2019		

DESCRIPTION OF CELL / BATTERY

5. Mark the type of cell/battery with an "•"	
Lithium ion cell	Lithium metal cell
X Lithium ion battery	Lithium metal battery
Lithium hybrid battery	

6. Parameters		Battery
Mass in gram (g):		13,4 g
Lithium ion: Indicate watt-hour rating (Wh):		0,666
Lithium metal: Indicate lithium metal content in gram (g):		
Lithium hybrid: Indicate lithium metal content in gram (g) and watt-hour rating (Wh):		g Wh

Page 1



LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name of cell/battery (taken from field 1)

Polymer Li- Ion Battery BD 602025

7. Physical description of cell / battery					
full item					
8. Model numbers					
01028 RC Adventscalendar RC Heli, 01033 Adventcalendar RC Heli 2021, 23982 Sky Fun					
TESTS AND RESULTS					
9. List of tests conducted and results - Mark N/A, pass or fail with an "•"	N/A	pass	fail		
T1 - Altitude simulation	0	0	0		
T2 - Thermal Test	Ŏ	Ŏ	Ŏ		
T3 - Vibration	Ŏ	Ŏ	Ŏ		
T4 - Shock	Ŏ	Ŏ	Ŏ		
T5 - External Short Circuit	Ŏ	Ŏ	Ŏ		
T6 - Impact / Crush	Ŏ	Ŏ	Ŏ		
T7 - Overcharge	Ŏ	Ŏ	Ŏ		
T8 - Forced Discharge	Ŏ	Ŏ	Ŏ		
for all above	Ŏ	X	Ŏ		
	O	Ŏ	Ŏ		
10. Reference to assembled battery testing requirements					
			N/A		
11. Polocopeo to the coviced edition of the Manuel of Techs and Citizate and In-					
11. Reference to the revised edition of the Manual of Tests and Criteria used and	to amendmer	nts thereto			



LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name of cell/battery (taken from field 1)

Polymer Li- Ion Battery BD 602025

ADDITIONAL SUPPLIER INQUIRY

12. Quality management system for manufacturing cells / batteries Does the manufacturer of the cell/battery manufacture the products based on a documented quality management system according to transport regulations?	(x)	YES	NO	
	- L	1		
13. Are the following parameters exceeded? Lithium ion cell: more than 20 Wh Lithium ion battery: more than 100 Wh Lithium metal cell: more than 1 g Lithium Lithium metal battery: more than 2 g Lithium Lithium hybrid Battery: more than 1,5 g Lithium and/or more than 10 Wh	\bigcirc	YES	NO	X
Check point 14 – 16 need to be answered when 13 has been ticked "YES":				
14. Does each cell / battery incorporates a safety venting device or is designed to preclude a violent rupture under normal conditions of carriage?		YES	NO	
15. Is each cell / battery equipped with an effective means of preventing external short circuits?	0	YES	NO	0
16. Is each battery containing cells or series of cells connected in parallel equipped with effective means as necessary to prevent dangerous reverse current flow (e.g. diodes, fuses, etc.)?		YES	NO	
 Only in air transport: State of Charge (SoC) for UN 3480 Lithium ion cells/batteries and lithium polymer cells/batteries 				
State of Charge (SoC) max. 30 %		YES	NO	
			E	

CELLS/BATTERIES INSTALLED IN EQUIPMENT

18. Check point 18 needs I	to be answered when the cells / b	atteries are in	stalled in articles	:	
18.a) Only button cells enclosed?			NO (X)		
18.b) Number of enclosed	cells (other than button cells)/batte	eries per equip	ment		
Enclosed cel	Enclosed cells per equipment Enclosed batteries per equipment				1
When the equipment is intentionally active/switched on during transport e.g. data loggers:					
18.c) Confirmation that no dangerous amount of heat is emitted from the equipment X N/A YES					NO
18.d) Confirmation that the equipment when transported by air fulfills the defined air transport standards for electromagnetic radiation according to DO-160 X N/A YES					NO
			Γ		
19. Place, Date	20. Title, Surname, First name	e 21. Company slamp and signature			9

