LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

N/A = Not Applicable

1. Name of cell / battery				
Polymer lithium ion Batter	ry 602025			
2. Manufacturer of cell / battery				
Name Heng neng Technology co. LTD				
Address				
Phone				
Email				
Website				
2. Tablebaselan of all /babbase	***************************************			
3. Test laboratory of cell / battery Name Shenzhen Anbotek Compliance I	abaratan I in	it a al		
Name Shenzhen Anbotek Comliance L Address	aboratory Lin	iitea		
Email	Phone Fmail Fmail Fmail Fmail Fmail Fmail Fmail			
Website				
4. ID-number and date				
nique test report identification number SZABB190710003-01 Date of test report 2019.07		2019.07.12		
DESCRIPTION OF CELL / BATTERY				
5. Mark the type of cell/battery with an "•"			***************************************	
Lithium ion cell Lithium metal cell			n metal cell	
Lithium ion battery Lithium metal ba		etal battery		
Lithium hybrid battery				
6. Parameters			Cell	Battery
Mass in gram (g):			0011	6,2
Lithium ion: Indicate watt-hour rating (Wh):				0,666
Lithium metal: Indicate lithium metal content in gram (g):				0,000
Lithium hybrid: Indicate lithium metal content in gram (g) ar	nd watt-hour ratin	g (Wh):		9
		Mosco II		Wh



LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name of cell/battery (taken from field 1)

Polymer lithium ion Battery

7. Physical description of cell / battery			
prismatic			
		www.comenserver	
8. Model numbers			
23823 Quadcopter FIZZ			
TESTS AND RESULTS			
9. List of tests conducted and results - Mark N/A, pass or fail with an "•"	N/A	pass	fail
T1 - Altitude simulation	0	0	O
T2 - Thermal Test	0	0	
T3 - Vibration			
T4 - Shock	0	0	
T5 - External Short Circuit			
T6 - Impact / Crush		0	
T7 - Overcharge			
T8 - Forced Discharge			
for all above		\otimes	
10. Reference to assembled battery testing requirements			
			N/A
[
11. Reference to the revised edition of the Manual of Tests and Criteria used a	iu to amenome	ints thereto	

LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name of cell/battery (taken from field 1)

Polymer lithium ion Battery

ADDITIONAL SUPPLIER INQUIRY

12. Quality management system for manufacturing cells / batteries Does the manufacturer of the cell/battery manufacture the products based on a documented quality management system according to transport regulations?	X	YES	NO)
13. Are the following parameters exceeded? Lithium ion cell: more than 20 Wh Lithium ion battery: more than 100 Wh Lithium metal cell: more than 1 g Lithium Lithium metal battery: more than 2 g Lithium Lithium hybrid Battery: more than 1,5 g Lithium and/or more than 10 Wh		YES	NO	
Check point 14 – 16 need to be answered when 13 has been ticked "YES":				
14. Does each cell / battery incorporates a safety venting device or is designed to preclude a violent rupture under normal conditions of carriage?		YES	NO	
15. Is each cell / battery equipped with an effective means of preventing external short circuits?		YES	NO)
16. Is each battery containing cells or series of cells connected in parallel equipped with effective means as necessary to prevent dangerous reverse current flow (e.g. diodes, fuses, etc.)?		YES	NO	
17. Only in air transport: State of Charge (SoC) for UN 3480 Lithium ion cells/batteries and lithium polymer cells/batteries		12		
State of Charge (SoC) max. 30 %		YES	NO)

CELLS/BATTERIES INSTALLED IN EQUIPMENT

18. Check point 18 needs to be answered when the cells / batteries are installed in articles:					
18.a) Only b	outton cells enclosed?			YES	NO X
18.b) Numb	er of enclosed cells (other than button cells)/batte	eries per equipment			
	Enclosed cells per equipment	Enclose	ed batteries p	per equipment	1
When the e	quipment is intentionally active/switched on duri	ng transport e.g. data	loggers:		
18.c) Confirm	mation that no dangerous amount of heat is emitted	from the equipment	X N/A	YES	NO
	mation that the equipment when transported by ain nsport standards for electromagnetic radiation ac		X N/A	YES	NO

19. Place, Date	20. Title, Surname, First name	21. Company stamp and signature
Bünde, 2020.01.13	Vieregge Thomas Head of Quality Assurance & Product Safty	Revell GmbH Henschelste 20:30

Tel.: (+49/0) 5223,965-0

