LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

N/A = Not Applicable

1. Name of cel	ll / battery				
Lithium ion	Battery DS752025				
2. Manufacture	er of cell / baltery				
Name	Tigerpow Battery DongGuan CC) I td			
Address	ngo.pon Battery Bong Guan Go	Ltd			
Phone					
Email					
Website					
3. Test laborat	ory of cell / battery				
Name	Pony Testing International Group	Co. Ltd			
Address					
Phone					
Email					
Website					
4. ID-number	and date	**************************************			
Unique test rep	ort identification number MLIQWCOU7	5845721	Date of test re	eport 2	2017/02/22
DESCRIPTION	N OF CELL / BATTERY		-		
5. Mark the ty	pe of cell/battery with an ″•″	4			
Lithium ion cell			·	Lithium	metal cell
X Lithium ion battery			Liti	hium me	etal battery
Lithium	hybrid ballery				
6. Parameters	,			Cell	Battery
Mass in gram (Mass in gram (g):				5,9
Lithium ion: Ind	Lithium ion: Indicate watt-hour rating (Wh):				0,74
Lithium metal:	Indicate lithium metal content in gram (g):				
Lithium hybrid	: Indicate lithium metal content in gram (g) and	d watt-hour ratin	g (Wh):		g \a/h

LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name of cell/battery (taken from field 1)

Polymer lithium ion Battery

7. Physical description of cell / battery			
prismatic			
8. Model numbers			
23860 Air Hunter			
<u>如此的思想。这种是是他们,但是是他们的一种,但是是是是是是</u>			
TESTS AND RESULTS			
9. List of tests conducted and results - Mark N/A, pass or fail with an "•"	N/A	pass	fail
T1 - Altitude simulation	Q	0	Q
T2 - Thermal Test	Q	O	0
T3 - Vibration	0	0	0
T4 - Shock	0	0	0
T5 - External Short Circuit	0	0	
T6 - Impact / Crush			
T7 - Overcharge			
T8 - Forced Discharge			O
for all above	Ŏ	X	O
	Ŏ	Ö	Ŏ
10. Reference to assembled battery testing requirements			
			N/A
			IV/A
11. Reference to the revised edition of the Manual of Tests and Criteria used and	I to amendme	nts thereto	

LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name of cell/battery (taken from field 1)

Polymer lithium ion Battery

ADDITIONAL SUPPLIER INQUIRY

12. Quality management system for manufacturing cells / batteries Does the manufacturer of the cell/battery manufacture the products based on a documented quality management system according to transport regulations?	X	YES	NO
13. Are the following parameters exceeded? Lithium ion cell: more than 20 Wh Lithium ion battery: more than 100 Wh Lithium metal cell: more than 1 g Lithium Lithium metal battery: more than 2 g Lithium Lithium hybrid Battery: more than 1,5 g Lithium and/or more than 10 Wh	\bigcirc	YES	NOX
Check point 14 – 16 need to be answered when 13 has been ticked "YES":			
14. Does each cell / battery incorporates a safety venting device or is designed to preclude a violent rupture under normal conditions of carriage?		YES	NO
15. Is each cell / battery equipped with an effective means of preventing external short circuits?	0	YES	NO ON
16. Is each battery containing cells or series of cells connected in parallel equipped with effective means as necessary to prevent dangerous reverse current flow (e.g. diodes, fuses, etc.)?	0	YES	NO
 Only in air transport: State of Charge (SoC) for UN 3480 Lithium ion cells/batteries and lithium polymer cells/batteries 			
State of Charge (SoC) max. 30 %		YES	NO O

CELLS/BATTERIES INSTALLED IN EQUIPMENT

18. Check point 18 needs to be answered when the cells / batt	eries are installed	in arti	cles:			
18.a) Only button cells enclosed?				YES	NO X	
18.b) Number of enclosed cells (other than button cells)/batteries per equipment						
Enclosed cells per equipment	Enclosed batteries per equipment 1		1			
When the equipment is intentionally active/switched on during transport e.g. data loggers:						
18.c) Confirmation that no dangerous amount of heat is emitted from the equipment			N/A		YES	NO
18.d) Confirmation that the equipment when transported by air fulfills the defined air transport standards for electromagnetic radiation according to DO-160		X	N/A		YES	NO

19. Place, Date	20. Title, Surname, First name	21. Company stamp and signature
Bünde, 2019.11.26	Vieregge Thomas Head of Quality Assurance & Product Safty	Revell GmbH

32257 Bünde Tel.: (+49/0) 5223 965-0