LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

N/A = Not Applicable

1. Name of cel	l / battery				
Lithium ion	Battery DS903462				
2 Manufacture	er of cell / baltery				
Name	Tigerpow Battery DongGuan CO	Ltd			
Address	Tigerpow Battery Dolig Guari CO	Liu			
Phone					
Email					
Website					
VVCDSICC					
3. Test laborat	ory of cell / baltery				
Name	Pony Testing International Group	Co. Ltd			
Address					
Phone					
Email					
Website					
4. ID-number	and date				
Unique test rep	ort identification number MNI35PKM84	502721	Date of test re	eport 20	019/01/23
DESCRIPTIO	N OF CELL / BATTERY				
5. Mark the ty	pe of cell/battery with an "•"				346
Lithium	nium ion cell		Lithium r	metal cell O	
X Lithium	ium ion battery Li		hium met	al battery	
Lithium	hybrid baktery				5
6. Parameters	S		×	Cell	Battery
Mass in gram (Mass in gram (g):				39,5
Lithium ion: Indicate watt-hour rating (Wh):		3.		5,55	
Lithium metal: Indicate lithium metal content in gram (g):					
					0



Lithium hybrid: Indicate lithium metal content in gram (g) and watt-hour rating (Wh):

LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name of cell/battery (taken from field 1)

Polymer lithium ion Battery

7. Physical description of cell / battery	THE THE PERSON NAMED IN TH	**************************************	
prismatic			
8. Model numbers			
23876 Demon			
TECTO AND DECLUTO		•	
TESTS AND RESULTS		.	
9. List of tests conducted and results - Mark N/A, pass or fail with an "•"	N/A	pass	fail
T1 - Altitude simulation		0	<u>Q</u> _
T2 - Thermal Test	Q	<u>Q</u>	<u>Q</u> _
T3 - Vibration	0		0
T4 - Shock	0	Q	Q
T5 - External Short Circuit	Q	Q	Q
T6 -Impact / Crush	0	0	0
T7, - Overcharge	0	0	<u>Q</u>
T8 Forced Discharge	_0_	<u>Q</u>	<u>Q</u>
for all above	0	(X)	<u>Q</u>
		U	O
10. Reference to assembled battery testing requirements	· · · · · · · · · · · · · · · · · · ·	-	oneda arabaman ergaren.
io. Neterence to assembled battery testing requirements		T	T
		N/A	
11. Reference to the revised edition of the Manual of Tests and Criteria used and	to amendme	nts thereto	



LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name of cell/battery (taken from field 1)

Polymer lithium ion Battery

ADDITIONAL SUPPLIER INQUIRY

12. Quality management system for manufacturing cells / batteries Does the manufacturer of the cell/battery manufacture the products based on a documented quality management system according to transport regulations?	X	YES	NO
13. Are the following parameters exceeded? Lithium ion cell: more than 20 Wh Lithium ion battery: more than 100 Wh Lithium metal cell: more than 1 g Lithium Lithium metal battery: more than 2 g Lithium Lithium hybrid Battery: more than 1,5 g Lithium and/or more than 10 Wh	\bigcirc	YES	NOX
Check point 14 – 16 need to be answered when 13 has been ticked "YES":			
14. Does each cell / battery incorporates a safety venting device or is designed to preclude a violent rupture under normal conditions of carriage?		YES	NO
15. Is each cell / battery equipped with an effective means of preventing external short circuits?	0	YES	NO O
16. Is each battery containing cells or series of cells connected in parallel equipped with effective means as necessary to prevent dangerous reverse current flow (e.g. diodes, fuses, etc.)?	0	YES	NO
 Only in air transport: State of Charge (SoC) for UN 3480 Lithium ion cells/batteries and lithium polymer cells/batteries 	599		
State of Charge (SoC) max. 30 %		YES	NO (
~			

CELLS/BATTERIES INSTALLED IN EQUIPMENT

18. Check point 18 needs to be answered when the cells / batteries are installed in articles:					
18.a) Only button cells enclosed?		YES	NO X		
18.b) Number of enclosed cells (other than button cells)/batteries per equipment					
Enclosed cells per equipment	Enclosed batteries per equipment		1		
When the equipment is intentionally active/switched on during transport e.g. data loggers:					
18.c) Confirmation that no dangerous amount of heat is emitted from the equipment X N/A YES				NO	
18.d) Confirmation that the equipment when transported by air fulfills the defined air transport standards for electromagnetic radiation according to DO-160			NO		

19. Place, Date	20. Title, Surname, First name	21. Company stamp and signature	
Bünde, 2019.11.26	Vieregge Thomas Head of Quality Assurance & Product Safty	110 110 1300-1980 20	
		fel.: (+49/0) 5223 965-0	

