

LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3
OF MANUAL OF TESTS AND CRITERIA

N/A = Not Applicable

1. Name of cell / battery			
Polymer Lithium ion Battery 601419			
2. Manufacturer of cell / battery			
Name	Tanghe county Hongyi New Materials Co. Ltd		
Address	Tanghe county industrial agglomeration area		
Phone			
Email			
Website			
3. Test laboratory of cell / battery			
Name	Shenzhen Tiansu Calibration and Testing Co, Ltd.		
Address	6/F., Building 1, No.2, Jinlong Road, Longgang District, Shenzhen, Guangdong, China		
Phone	+86 755-84815081		
Email	tctt_jc_cs@51jL.org		
Website	www.51jL.org		
4. ID-number and date			
Unique test report identification number	20190104936ZB-BR01	Date of test report	2019/02/15

DESCRIPTION OF CELL / BATTERY

5. Mark the type of cell/battery with an "•"			
<input type="radio"/>	Lithium ion cell	Lithium metal cell	<input type="radio"/>
<input checked="" type="radio"/>	Lithium ion battery	Lithium metal battery	<input type="radio"/>
<input type="radio"/>	Lithium hybrid battery		
6. Parameters		Cell	Battery
Mass in gram (g):			2,8
Lithium ion: Indicate watt-hour rating (Wh):			0,33
Lithium metal: Indicate lithium metal content in gram (g):			
Lithium hybrid: Indicate lithium metal content in gram (g) and watt-hour rating (Wh):			g
			Wh

LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3
OF MANUAL OF TESTS AND CRITERIA

Name of cell/battery (taken from field 1)

Polymer lithium ion Battery

7. Physical description of cell / battery

prismatic

8. Model numbers

24108/24109 Air Spinner

TESTS AND RESULTS

9. List of tests conducted and results - Mark N/A, pass or fail with an "●"	N/A	pass	fail
T1 - Altitude simulation	○	○	○
T2 - Thermal Test	○	○	○
T3 - Vibration	○	○	○
T4 - Shock	○	○	○
T5 - External Short Circuit	○	○	○
T6 - Impact / Crush	○	○	○
T7 - Overcharge	○	○	○
T8 - Forced Discharge	○	○	○
for all above	○	X	○
	○	○	○

10. Reference to assembled battery testing requirements

N/A

11. Reference to the revised edition of the Manual of Tests and Criteria used and to amendments thereto

LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3
OF MANUAL OF TESTS AND CRITERIA

Name of cell/battery (taken from field 1)

Polymer lithium ion Battery

ADDITIONAL SUPPLIER INQUIRY

12. Quality management system for manufacturing cells / batteries Does the manufacturer of the cell/battery manufacture the products based on a documented quality management system according to transport regulations?	<input checked="" type="radio"/>	YES	NO	<input type="radio"/>
--	----------------------------------	-----	----	-----------------------

13. Are the following parameters exceeded? Lithium ion cell: more than 20 Wh Lithium ion battery: more than 100 Wh Lithium metal cell: more than 1 g Lithium Lithium metal battery: more than 2 g Lithium Lithium hybrid Battery: more than 1,5 g Lithium and/or more than 10 Wh	<input type="radio"/>	YES	NO	<input checked="" type="radio"/>
--	-----------------------	-----	----	----------------------------------

Check point 14 – 16 need to be answered when 13 has been ticked "YES":				
14. Does each cell / battery incorporates a safety venting device or is designed to preclude a violent rupture under normal conditions of carriage?	<input type="radio"/>	YES	NO	<input type="radio"/>
15. Is each cell / battery equipped with an effective means of preventing external short circuits?	<input type="radio"/>	YES	NO	<input type="radio"/>
16. Is each battery containing cells or series of cells connected in parallel equipped with effective means as necessary to prevent dangerous reverse current flow (e.g. diodes, fuses, etc.)?	<input type="radio"/>	N/A	YES	NO

17. Only in air transport: State of Charge (SoC) for UN 3480 Lithium ion cells/batteries and lithium polymer cells/batteries				
State of Charge (SoC) max. 30 %	<input type="radio"/>	YES	NO	<input type="radio"/>

CELLS/BATTERIES INSTALLED IN EQUIPMENT

18. Check point 18 needs to be answered when the cells / batteries are installed in articles:				
18.a) Only button cells enclosed?	<input type="radio"/>	YES	NO	<input checked="" type="radio"/>
18.b) Number of enclosed cells (other than button cells)/batteries per equipment				
Enclosed cells per equipment	Enclosed batteries per equipment		1	
When the equipment is intentionally active/switched on during transport e.g. data loggers:				
18.c) Confirmation that no dangerous amount of heat is emitted from the equipment	<input checked="" type="radio"/>	N/A	YES	NO
18.d) Confirmation that the equipment when transported by air fulfills the defined air transport standards for electromagnetic radiation according to DO-160	<input checked="" type="radio"/>	N/A	YES	NO

19. Place, Date	20. Title, Surname, First name	21. Company stamp and signature
Bünde, 2020.02.01	i.A. Christian Schreiber Quality Assurance & Product Safety	 Reven GmbH Henschelstr. 20-30 52257 Bünde Tel.: (+49/0) 5223 965-0