LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

N/A = Not Applicable

1. Name of cell / battery						
Polymer lithium ion Battery HPY503445						
2. Manufacturer of cell / battery						
Name Hiushou Haopir	g Electronic Tech	nology Co. L	D			
Address						
Phone						
Email						
Website						
3. Test laboratory of cell / battery				160-110-00-00-00-1100		······································
Name Pony Testing II	nternational Group	Co Ltd				
Address						
Phone						
Email						
Website .						
4. ID-number and date						
Unique test report identification number MNIQIAIM8983672		836721a	Date of test report 2019.04.		04.09	
DESCRIPTION OF CELL / BAT	TERY					
5. Mark the type of cell/battery wit	n an "•"			na n		
Lithium ion cell				Lithium metal cell		
			ithium metal battery			
Lithium hybrid battery						
6. Parameters				Cell	Т	Baltery
Mass in gram (g):						33
Lithium ion: Indicate watt-hour rating (Wh):					4,81	
Lithium metal: Indicate lithium metal	content in gram (g):	odenn menne er och seder trocco settem strom	000000000000000000000000000000000000000			
Lithium hybrid: Indicate lithium metal content in gram (g) and watt-hour rating (Wh):					g \\\/b	



LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name of cell/battery (taken from field 1)

Polymer lithium ion Battery

7. Physical description of cell / battery				
prismatic				
8. Model numbers		Sitting		
24465 Mercedes X-Class				
TESTS AND RESULTS				
9. List of tests conducted and results - Mark N/A, pass or fail with an "•"	N/A	pass	fail	
T1 - Altitude simulation				
T2 - Thermal Test				
T3 - Vibration				
T4 - Shock				
T5 - External Short Circuit	0			
T6 - Impact / Crush	0	0	0	
T7 - Overcharge	0	0	0	
T8 - Forced Discharge	0	0	0	
for all above		X	0	
	0	0		
	***************************************	20000000000000000000000000000000000000		
10. Reference to assembled battery testing requirements		1	T	
			N/A	
11. Reference to the revised edition of the Manual of Tests and Criteria used and to amendments thereto				
The received to the revised edition of the Plantack of 1933 and Criteria used and to amendments thereto				

LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name of cell/battery (taken from field 1)

Polymer lithium ion Battery

ADDITIONAL SUPPLIER INQUIRY

12. Quality management system for manufacturing cells / batteries Does the manufacturer of the cell/battery manufacture the products based on a documented quality management system according to transport regulations?	X	YES	NO
13. Are the following parameters exceeded? Lithium ion cell: more than 20 Wh Lithium ion battery: more than 100 Wh Lithium metal cell: more than 1 g Lithium Lithium metal battery: more than 2 g Lithium Lithium hybrid Battery: more than 1,5 g Lithium and/or more than 10 Wh		YES	NOX

Check point 14 – 16 need to be answered when 13 has been ticked "YES":			
14. Does each cell / battery incorporates a safety venting device or is designed to preclude a violent rupture under normal conditions of carriage?		YES	NO
15. Is each cell / battery equipped with an effective means of preventing external short circuits?	0	YES	NO O
16. Is each battery containing cells or series of cells connected in parallel equipped with effective means as necessary to prevent dangerous reverse current flow (e.g. diodes, fuses, etc.)?		YES	NO
17. Only in air transport: State of Charge (SoC) for UN 3480 Lithium ion cells/batteries and lithium polymer cells/batteries			
State of Charge (SoC) max. 30 %	0	YES	ио 🔵

CELLS/BATTERIES INSTALLED IN EQUIPMENT

				THE RESERVE AND ADDRESS OF THE PARTY OF THE	WINDLESS AND AND ADDRESS OF THE PARTY OF THE	
18. Check point 18 needs	to be answered when the cells / ba	atteries are ins	stalled in article	s:		
18.a) Only button cells end	closed?				YES	NO X
18.b) Number of enclosed	cells (other than button cells)/batte	eries per equip	ment			
Enclosed cells per equipment			Enclosed batteries per equipment			1
When the equipment is intentionally active/switched on during transport e.g. data loggers:						
18.c) Confirmation that no dangerous amount of heat is emitted from the equipment			YES	NO		
18.d) Confirmation that the equipment when transported by air fulfills the defined air transport standards for electromagnetic radiation according to DO-160			NO			
19. Place, Date	20. Title, Surname, First name		21. Company s	tamp and sig	anature	
Bünde, 2020.01.13	Vieregge Thomas Head of Quality Assurance & P	roduct Safty	Rev	en Gin	hd	

Henschelstr. 20-30 32257 Bünde **Tel.: (**+49/0) 5223 965-0

