## LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

N/A = Not Applicable

# 1. Name of cell / battery Li-ion Cell 14500

2. Manufacturer of cell / battery					
Name	Shantoushi Dingjiayuan New Energy Co., Ltd.				
Address	Chenghai District of Shantou Lotus South Town, Industrial Zone, 515800 Shantou, People's Republic of China				
Phone	0754-85179033				
Email	79832378@qq.com				
Website					

3. Test laboratory of cell / battery				
Name	Guangzhou CP-UP Certification Technology Service Co., Ltd.			
Address	No.1, Aigang 7th Lane, Yunxing Zhukeng Village, Shiqiao Street, Panyu District, Guangzhou, Guangdong China			
Phone	+86-020 3112 7037			
Email	info@cp-up.com			
Website	www.cp-up.com			

4. ID-number and date					
Unique test report identification number	STDJY20200413UN01	Date of test report	2020.04.28		

#### DESCRIPTION OF CELL / BATTERY

5. Mark the type of cell/battery with an "●"	
X Lithium ion cell	Lithium metal cell
Lithium ion battery	Lithium metal battery
Lithium hybrid battery	

6. Parameters	Cell	Battery
Mass in gram (g):		15,2
Lithium ion: Indicate watt-hour rating (Wh):		1,48
Lithium metal: Indicate lithium metal content in gram (g):		
Lithium hybrid: Indicate lithium metal content in gram (g) and watt-hour rating (Wh):		g Wh



# LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name of cell/baltery (taken from field 1)

Li-ion Cell 14500

7. Physical description of cell / battery			
Cylindrical and Green			
8. Model numbers			
24535 Fork Lifter			
			- 1
TESTS AND RESULTS			
9. List of tests conducted and results - Mark N/A, pass or fail with an "•"	N/A	pass	fail
T1 - Altitude simulation	0	0	0
T2 - Thermal Test	0	0	0
T3 - Vibration		0	
T4 - Shock			
T5 - External Short Circuit			
T6 - Impact / Crush			
T7 - Overcharge			
T8 - Forced Discharge			
for all above		$\otimes$	
10. Reference to assembled battery testing requirements		I	
			N/A
11. Reference to the revised edition of the Manual of Tests and Criteria used and	t to amondmo	nte therete	
11. Reference to the revised edition of the Manual or Tests and Chileria used and	ro amenane	וונס נוופופנט	

## LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name of cell/battery (taken from field 1)

Li-ion Cell 14500

## ADDITIONAL SUPPLIER INQUIRY

12. Quality management system for manufacturing cells / batteries  Does the manufacturer of the cell/battery manufacture the products based on a documented quality management system according to transport regulations?	X YES	NO
13. Are the following parameters exceeded?		
Lithium ion cell: more than 20 Wh Lithium ion battery: more than 100 Wh Lithium metal cell: more than 1 g Lithium Lithium metal battery: more than 2 g Lithium Lithium hybrid Battery: more than 1,5 g Lithium and/or more than 10 Wh	YES	NOX
Check point 14 – 16 need to be answered when 13 has been ticked "YES":		
14. Does each cell / battery incorporates a safety venting device or is designed to preclude a violent rupture under normal conditions of carriage?	YES	NO
15. Is each cell / battery equipped with an effective means of preventing external short circuits?	YES	NO O
16. Is each battery containing cells or series of cells connected in parallel equipped with effective means as necessary to prevent dangerous reverse current flow (e.g. diodes, fuses, etc.)?	YES	NO
<ol> <li>Only in air transport: State of Charge (SoC) for UN 3480 Lithium ion cells/batteries and lithium polymer cells/batteries</li> </ol>		
State of Charge (SoC) max. 30 %	YES	NO O

## CELLS/BATTERIES INSTALLED IN EQUIPMENT

18. Check point 18 needs to be answered when the cells / batteries are installed in articles:								
18.a) Only b	18.a) Only button cells enclosed?			NO	X			
18.b) Numbe	er of enclosed cells (other than button cells)/batte	eries per equipment			*			
	Enclosed cells per equipment Enclosed batteries per equipment					1		
When the equipment is intentionally active/switched on during transport e.g. data loggers:								
18.c) Confirmation that no dangerous amount of heat is emitted from the equipment X N/A YES					NO			
18.d) Confirmation that the equipment when transported by air fulfills the defined air transport standards for electromagnetic radiation according to DO-160  X N/A  YES		YES	NO					

19. Place, Dale	20. Title, Surname, First name	21. Company stampane signature mbH
	Schreiber, Christian Product Safety & Quality Assurance	Henschelstr. 20-30 32257 Bunde 1. A. Chi's Fel.: (+49/0) 5223-965-0

