LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

N/A = Not Applicable

1. Name of cell / battery Li-ion battery 14500/1200 mAh 7,4V

2. Manufacturer of cell / battery			
Name	Shantou Jinglongjie Electronics Co., LTD		
Address	F/3, No.2 Factory, Shatianpian Industrial Park West, Chenghua Industrial District, Chenghai District, Shantou City		
Phone	+86 754 85836803		
Email	2928685845@qq.com		
Website	www.jinlongjie.cn		

3. Test laboratory of cell / battery			
Name	Shenzhen Beihang Testing Co., Ltd.		
Address	Room 202, 2/F, Building F, HaoWei Indtrial Park, QingSong West Road, PingShan District, SHenzhen, Guangdong, China		
Phone	+86-0755-86503482		
Email	cs@hc-stc.net		
Website	www.hc-stc.net		

4. ID-number and date				
Unique test report identification number	RSZBHST190919658	Date of test report	2020.01.07	

DESCRIPTION OF CELL / BATTERY

5. M	fark the type of cell/battery with an "•"	
0	Lithium ion cell	Lithium metal cell
X	Lithium ion battery	Lithium metal battery
0	Lithium hybrid battery	

6. Parameters		Battery
Mass in gram (g):		77,7
Lithium ion: Indicate watt-hour rating (Wh):		8,88
Lithium metal: Indicate lithium metal content in gram (g):		
Lithium hybrid: Indicate lithium metal content in gram (g) and watt-hour rating (Wh):		g Wh



LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name of cell/battery (taken from field 1)

Li-ion battery 14500/1200 mAh 7,4V

7. Physical description of cell / battery			
cylindrical			
8. Model numbers			
24555 Shark Next Level			
TESTS AND RESULTS			
9. List of tests conducted and results - Mark N/A, pass or fail with an "●"	N/A	pass	fail
T1 - Altitude simulation		0	0
T2 - Thermal Test	0	0	0
T3 - Vibration	0	0	0
T4 - Shock	0	0	0
T5 - External Short Circuit	0	0	O
T6 - Impact / Crush	0	0	Ŏ
T7 - Overcharge	0	0	O
T8 - Forced Discharge	O	Ŏ	Ŏ
for all above	O	X	Ŏ
	Ŏ	Ŏ	Ŏ
40. Deference he accombiled helberg bestimmers			
10. Reference to assembled battery testing requirements			
		N/A	
11. Reference to the revised edition of the Manual of Tests and Criteria used and to amendments thereto			
The reference to the revised edition of the Mahdat of Tests and Criteria used and	to amename	nts thereto	

LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name of cell/battery (taken from field 1)

Li-ion battery 14500/1200 mAh 7,4V

ADDITIONAL SUPPLIER INQUIRY

12. Quality management system for manufacturing cells / batteries Does the manufacturer of the cell/battery manufacture the products based on a documented quality management system according to transport regulations?	(X)	YES	NO
13. Are the following parameters exceeded? Lithium ion cell: more than 20 Wh Lithium ion battery: more than 100 Wh Lithium metal cell: more than 1 g Lithium Lithium metal battery: more than 2 g Lithium Lithium hybrid Battery: more than 1,5 g Lithium and/or more than 10 Wh	\bigcirc	YES	NOX
Check point 14 – 16 need to be answered when 13 has been ticked "YES":			
14. Does each cell / battery incorporates a safety venting device or is designed to preclude a violent rupture under normal conditions of carriage?		YES	NO
15. Is each cell / battery equipped with an effective means of preventing external short circuits?	0	YES	NO (
16. Is each battery containing cells or series of cells connected in parallel equipped with effective means as necessary to prevent dangerous reverse current flow (e.g. diodes, fuses, etc.)?		YES	NO
			'
17. Only in air transport: State of Charge (SoC) for UN 3480 Lithium ion cells/batteries and lithium polymer cells/batteries			
State of Charge (SoC) max. 30 %	0	YES	NO O

CELLS/BATTERIES INSTALLED IN EQUIPMENT

18. Check point 18 needs to be answered when the cells / batteries are installed in articles:					
18.a) Only button cells enclosed?					
18.b) Number of enclosed	cells (other than button cells)/batte	eries per equip	oment		
Enclosed cells per equipment			Enclosed batteries per equipment	1	
When the equipment is intentionally active/switched on during transport e.g. data loggers:					
18.c) Confirmation that no dangerous amount of heat is emitted from the equipment X N/A YES N					
18.d) Confirmation that the equipment when transported by air fulfills the defined air transport standards for electromagnetic radiation according to DO-160				10	
19. Place, Date	20. Title, Surname, First name		21. Company stamp and signature		
Bünde, 2022.07.15	Schreiber, Christian Product Safety & Quality Assur	ance / Attracheistr 2030 6			

Tel.: (+49/0) 5223 965-0

