LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

N/A = Not Applicable

1. Name of cell / battery Li-ion battery 14500/500 mAh 7,4V

2. Manufacturer of cell / battery				
Name	Shantoushi Dingjiayuan New Energy Co., Ltd.			
Address	Chenghai District of Shantou Lotus South Town, Industrial Zone, 515800 Shantou, People's Republic of China			
Phone	0754-85179033			
Email	79832378@qq.com			
Website				

3. Test laboratory of cell / battery				
Name	Guangzhou CP-UP Certification Technology Service Co., Ltd.			
Address	No.1, Aigang 7th Lane, Yunxing Zhukeng Village, Shiqiao Street, Panyu District, Guangzhou, Guangdong China			
Phone	+86-020 3112 7037			
Email	info@cp-up.com			
Website	www.cp-up.com			

4. ID-number and date						
Unique test report identification number	STDJY20200513UN01	Date of test report	2020.06.24			

DESCRIPTION OF CELL / BATTERY

5. M	fark the type of cell/battery with an "•"	
0	Lithium ion cell	Lithium metal cell
X	Lithium ion battery	Lithium metal battery
0	Lithium hybrid battery	

6. Parameters	Cell	Baltery
Mass in gram (g):		37
Lithium ion: Indicate watt-hour rating (Wh):		3,7
Lithium metal: Indicate lithium metal content in gram (g):		
Lithium hybrid: Indicate lithium metal content in gram (g) and watt-hour rating (Wh):		g Wh

© This form was provided by www.lithium-battery-service.com



LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name of cell/battery (taken from field 1)

Li-ion battery 14500/500 mAh 7,4V

7. Physical description of cell / battery					
Prismatic and green					
8. Model numbers					
24665 RC Car Ford Mustang Police					
TESTS AND RESULTS					
9. List of tests conducted and results - Mark N/A, pass or fail with an "•"	N/A	pass	fail		
T1 - Altitude simulation	0	0	0		
T2 - Thermal Test	0	0	0		
T3 - Vibration	0	0	0		
T4 - Shock	0	0	0		
T5 - External Short Circuit	0	O	O		
T6 - Impact / Crush	0	0	0		
T7 - Overcharge	0	0	O		
T8 - Forced Discharge	0	O	O		
for all above	0	X	0		
	0	0	0		
10. Reference to assembled battery testing requirements					
			N/A		
44. Deference to the resident addition of the Manual of Texture 10.11.					
11. Reference to the revised edition of the Manual of Tests and Criteria used and to amendments thereto					

LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name of cell/battery (taken from field 1)

Li-ion battery 14500/500 mAh 7,4V

ADDITIONAL SUPPLIER INQUIRY

12. Quality management system for manufacturing cells / batteries Does the manufacturer of the cell/battery manufacture the products based on a documented quality management system according to transport regulations?	X YES	NO
		,
13. Are the following parameters exceeded? Lithium ion cell: more than 20 Wh Lithium ion battery: more than 100 Wh Lithium metal cell: more than 1 g Lithium Lithium metal battery: more than 2 g Lithium Lithium hybrid Battery: more than 1,5 g Lithium and/or more than 10 Wh	YES	NOX
	-	
Check point 14 – 16 need to be answered when 13 has been ticked "YES":		
14. Does each cell / battery incorporates a safety venting device or is designed to preclude a violent rupture under normal conditions of carriage?	YES	NO
15. Is each cell / battery equipped with an effective means of preventing external short circuits?	YES	NO O
16. Is each battery containing cells or series of cells connected in parallel equipped with effective means as necessary to prevent dangerous reverse current flow (e.g. diodes, fuses, etc.)?	YES	NO
 Only in air transport: State of Charge (SoC) for UN 3480 Lithium ion cells/batteries and lithium polymer cells/batteries 		
State of Charge (SoC) max. 30 %	YES	NO O

CELLS/BATTERIES INSTALLED IN EQUIPMENT

18. Check point 18 needs to be answered when the cells / batteries are installed in articles:								
18.a) Only button cells enclosed?					NO	X		
18.b) Number of enclosed cells (other than button cells)/batteries per equipment								
Enclosed ce	ells per equipment Enclosed batteries pe			er equi	oment	1		
When the equipment is intentionally active/switched on during transport e.g. data loggers:								
18.c) Confirmation that no dangerous amount of heat is emitted from the equipment X N/A YES						NO		
18.d) Confirmation that the equipment when transported by air fulfills the defined air transport standards for electromagnetic radiation according to DO-160 X N/A YES					NO			
19. Place, Date	20. Title, Surname, First name		21. Company stamp and signature					
Bünde, 2022.07.15	Schreiber, Christian Product Safety & Quality Assur	ance	Henschelstr. 20-30 (

Tel.: (+49/0) 5223 965 0