LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

N/A = Not Applicable

1. Name of cell / battery Li-Ion Battery 523450 3.7V, 600mAh, 2.22Wh

2. Manufacturer of cell / battery				
Name	Shantou Jinhong New Energy Technology Co., Ltd			
Address	Xingda Industrial Zone, Toufen village, Fengxiang street, Chenghai District, Shantou City			
Phone	+86-13902281885			
Email	50458159@qq.com			
Website	n.n.			

3. Test laboratory of cell / battery				
Name	Dongguan ZRLK Testing Technology Co., Ltd.			
Address	Building 2, No.1, Technology 10th Road, Songshan Lake Park, Dongguan, Guangdong, China			
Phone	+86 769-26621775			
Email	marketing@zrlklab.com			
Website	www.zrlklab.com			

4. ID-number and date			And an extended and the second and t
Unique test report identification number	DSP23010508-2	Date of test report	2023-02-16

DESCRIPTION OF CELL / BATTERY

5. Mark the type of cell/battery with an "•"	
Lithium ion cell	Lithium metal cell
X Lithium ion battery	Lithium metal battery
Lithium hybrid battery	

6. Parameters	Cell	Baltery
Mass in gram (g):		19.5 g
Lithium ion: Indicate watt-hour rating (Wh):		2.22
Lithium metal: Indicate lithium metal content in gram (g):		
Lithium hybrid: Indicate lithium metal content in gram (g) and watt-hour rating (Wh):		g W



LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name of cell/ballery (taken from field 1)

Li-Ion Battery 523450 3.7V, 600mAh, 2.22Wh

7. Physical description of cell / battery				
Green Prismatic				
8. Model numbers				
24700 T-Giant				
TESTS AND RESULTS				
9. List of tests conducted and results - Mark N/A, pass or fail with an "•"	N/A	pass	fail	
T1 - Altitude simulation	0	0		
T2 - Thermal Test	0	0		
T3 - Vibration	0	0		
T4 - Shock	0	0		
T5 - External Short Circuit	0			
T6 - Impact / Crush		0		
T7 - Overcharge	0	0		
T8 - Forced Discharge		0		
for all above		\otimes		
		0		
10. Reference to assembled battery testing requirements				
		N/A		
			AMMANS AND COLORS	
11. Reference to the revised edition of the Manual of Tests and Criteria used and	la amendari	nto thet-		
in. Reference to the revised edition of the Manual of Tests and Criteria used and	to amename	nts thereto		

LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name of cell/battery (taken from field 1)

Li-Ion Battery 523450 3.7V, 600mAh, 2.22Wh

ADDITIONAL SUPPLIER INQUIRY

12. Quality management system for manufacturing cells / batteries Does the manufacturer of the cell/battery manufacture the products based on a documented quality management system according to transport regulations?	X	YES	NO	
13. Are the following parameters exceeded? Lithium ion cell: more than 20 Wh Lithium ion battery: more than 100 Wh Lithium metal cell: more than 1 g Lithium Lithium metal battery: more than 2 g Lithium Lithium hybrid Battery: more than 1,5 g Lithium and/or more than 10 Wh	0	YES	NO	X
Check point 14 – 16 need to be answered when 13 has been ticked "YES":				
14. Does each cell / battery incorporates a safety venting device or is designed to preclude a violent rupture under normal conditions of carriage?		YES	NO	
15. Is each cell / battery equipped with an effective means of preventing external short circuits?	0	YES	NO (0
16. Is each battery containing cells or series of cells connected in parallel equipped with effective means as necessary to prevent dangerous reverse current flow (e.g. diodes, fuses, etc.)?	\bigcirc	YES	NO	
17. Only in air transport: State of Charge (SoC) for UN 3480 Lithium ion cells/batteries				
and lithium polymer cells/batteries				
State of Charge (SoC) max. 30 %	0	YES	NO (0

CELLS/BATTERIES INSTALLED IN EQUIPMENT

18. Check point 18 needs to be answered when the cells / batteries are installed in articles:								
18.a) Only bullon cells end	18.a) Only button cells enclosed?				NO	X		
18.b) Number of enclosed cells (other than button cells)/batteries per equipment								
Enclosed cel	lls per equipment	s per equipment Enclosed batteries per equipment			oment	1		
When the equipment is int	When the equipment is intentionally active/switched on during transport e.g. data loggers:							
18.c) Confirmation that no dangerous amount of heat is emitted from the equipment X N/A YES					NO			
18.d) Confirmation that the equipment when transported by air fulfills the defined air transport standards for electromagnetic radiation according to DO-160				NO				
40 Place Pole								
19. Place, Date	20. Title, Surname, First name	-	21. Company stamp and signature					
Bünde, 2024-10-22	Schreiber, Christian Manager Product Safety & Quality A		Herschelstraße 20-30 7. 0 32257 Bünde Tel.: (+49/0) 5223 965-0					